

CJ1W-AD04U(SL)

Universal analog input unit, 4 x inputs 1 to 5 V, 0 to 5 V, 0 to 10 V, 0 to 20 mA, 4 to 20 mA, thermocouple (K, J, T, L, R, S, B), Pt100, Pt1000, JPt100, screwless clamp terminal

Specifications

I/O system	CJ I/O Bus
Expansion unit type	Special I/O Unit
Type of module	Analog I/O
Number of analog inputs	4
Temperature input type	B, J, JPt100, K, L, Pt100, Pt1000, R, S, T
Linear analog input type	-10 to 10 V, 0 to 10 V, 0 to 5 V, 1 to 5 V, 4 to 20 mA
Resolution of the analog inputs	14 Bit
Number of analog outputs	0
Linear analog output type	None
I/O connection type	Screwless clamp
Number of I/O connectors	1
Detachable I/O connector	✓
Suitable for safety functions	✗
Height	90 mm
Width	31 mm
Depth	85 mm
Weight	186 g



CJ-Series Analog I/O Units for NJ-Series (CJ1W-PDC15, -PH41U, -AD04U)

Operation Manual

EN PDF 2.03 MB



CJ-series Screwless I/O Units

Datasheet

EN PDF 259 KB



CJ1 Universal Analog Input Units

Operation Manual

EN PDF 1020 KB



CJ1W-AD04U(-SL)

Instruction Sheet

EN PDF 119 KB