



## E3ZM-CT82B-M1TJ 0.3M

Photoelectric sensor, rectangular housing, stainless steel, oil-resistant, orange LED, through-beam, 20 m, PNP, Light-ON/Dark-ON, M12 pigtail Smartclick connector, 0.3 m

# Specifications

<b>Shape</b>	Cuboid
<b>Sensing method</b>	Through-beam
<b>Sensing distance</b>	20000 mm
<b>Setting method</b>	Manual adjustment
<b>Connection method</b>	M12 pigtail Smartclick connector
<b>Cable length</b>	0.3 m
<b>Output type</b>	PNP
<b>Operation mode</b>	Dark-ON, Light-ON
<b>Response time</b>	2 ms
<b>Material housing</b>	Stainless steel
<b>Thread size</b>	Other
<b>Width</b>	10.8 mm
<b>Height</b>	32 mm
<b>Depth</b>	21 mm
<b>Type of light</b>	Orange light
<b>Power supply voltage</b>	10-30 V
<b>Features</b>	Oil-resistant
<b>Degree of protection (IP)</b>	IP67/IP69K



**E39-L104**

Mounting bracket for E3Z sensor, standard, vertical mounting



**E39-L142**

Mounting Bracket, protective side wall (for E3Z)



**E39-L144**

Sensor mounting Bracket, Protective bracket for E3Z pre-wired



**E39-L150**

Sensor mounting Bracket for E3Z, 100mm high post



**E39-L151**

Sensor mounting Bracket, for E3Z, 200mm high post



**E39-L153**

Mounting bracket for E3Z sensor, L shape, for prewired



**E39-L43**

Mounting bracket for E3Z sensor, side mounting



**E39-L44**

Mounting bracket for E3Z sensor, rear mounting



**E39-L98**

Protective metal cover for E3S-A/E3Z vertical sensor

## Related products



### M12 Connectors & Cordsets

Industrial connectors & cordsets for any application

## Downloads

CAD Library



### E3Z Brochure

EN PDF 1.34 MB



### E3ZM-C Photoelectric Sensor, Compact, Stainless steel Datasheet

EN PDF 3.81 MB

#### TERMS OF WEBSITE USE

This PDF document was created from the European OMRON Industrial Automation website on 13 August, 2022. Click here for [terms of use](#).

**OMRON**

INDUSTRIAL AUTOMATION | INDUSTRIAL.OMRON.EU